

10/674,289

	Hits	Search Text	DBs
1	308871	(write\$4once or cd\$1R\$1 or worm or (optical adj disk\$) or prom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	728352	((three or "3") near5 dimension\$3) or "3"\$1D	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	35570	112 and 113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	13288	114 and @ad < "20000814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	4562	115 and cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	414	116 and (re\$1writ\$4 or writ\$5over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	390	l17 and state\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	282	l18 and block\$1 and (row\$1 or record\$1 or tuple\$1) and (column\$1 or field\$1 or attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	39	l19 and address\$2 and (digital near5 (file\$1 or record\$1 or document\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	4	l20 and (cell\$1 same array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	2	l21 and (layer\$1 or tier\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	10	l20 and write\$lonce	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	8	l23 and (over\$1writ\$4 or writ\$4over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	l24 and (cell\$1 same array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	345	(three\$1dimensional or "3"\$1d) and (write\$1once or worm or prom) and @ad < "20000814" and (over\$1writ\$4 or writ\$4over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	142	l26 and block\$1 and row\$1 and column\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	38	l27 and (cell\$1 same array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	13	l28 and (layer\$1 or tier\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	2103	(cd\$1R\$1 or write\$1once) and (cell\$1 with array\$1) and (state\$1 or status\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	320	S2 and @ad < "20000814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	3	S3 and ((over\$1writ\$4 same pattern\$1) or (mak\$4 or caus\$4) with(difficult or impossible or unable or cannot) with read\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	3	S4 and (delet\$5 or remov\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	1	("6658438").PN.	US-PGPUB; USPAT

	Hits	Search Text	DBs
6	30	(("6658438") or ("4272880") or ("4442507") or ("4489478") or ("4498226") or ("4499557") or ("4646266") or ("4677742") or ("5070384") or ("5306935") or ("5427979") or ("5441907") or ("5535156") or ("5602987") or ("5640343") or ("5745407") or ("5835396") or ("6034882") or ("5563947") or ("5596639") or ("5065389") or ("6321360") or ("6377526") or ("5448372") or ("5241659") or ("5315178") or ("4691299") or ("4868804") or ("6104638") or ("5029125")) .PN.	US-PGPUB; USPAT
7	29	S1 and @ad < "20000814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB

	Hits	Search Text	DBs
8	0	S7 and (cd\$1R\$1 or write\$1once) and (cell\$1 with array\$1) and (state\$1 or status\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	7	S7 and (cd\$1R\$1 or write\$1once)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	5	S9 and (((over\$1writ\$4 same pattern\$1) or (mak\$4 or caus\$4) with (difficult or impossible or unable or cannot) with read\$1) or ((delet\$4 or remov\$4 or replac\$4) with data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	25	S1 not S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	8	S1 and (cd\$1R\$1 or write\$1once)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	3	S12 not S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1	("6377526").PN.	US-PGPUB; USPAT

	Hits	Search Text	DBs
15	0	("83565210").PN.	US-PGPUB; USPAT
16	1	("3609708").PN.	US-PGPUB; USPAT
17	1	("3638185").PN.	US-PGPUB; USPAT
18	1	("3897626").PN.	US-PGPUB; USPAT
19	1	("4691299").PN.	US-PGPUB; USPAT
20	0	"managing data storage space on large capacity"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	32	managing with data with storage with space with capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	0	S21 and write\$4once	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	1	S21 and worm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	33631 6	(destructive or one\$1 or ascii) with pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
25	136799	(destructive or one\$1 or ascii) near3 pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	79947	S25 and @ad < "20000814"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	1050	S26 and (write\$4once or cd\$1R\$1 or worm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	47	S27 and ((over\$1writ\$4 with pattern\$1) or ((mak\$4 or caus\$4) with (difficult or impossible or unable or cannot) with read\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	0	S28 and ((switch\$4 or swap\$5) with cell\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	23	S28 and (switch\$4 or swap\$5) and cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	424574	((three or "3") or "3"\$1D) near5 dimension\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB